



health in focus: relationships with food and disrupted eating behaviours in LGBT2SQ communities

An evidence review and
practical guide designed for
healthcare providers
and researchers

PURPOSE

This Health in Focus document offers information to care providers on how the social determinants of health and other systemic factors contribute to a unique and complex relationship with food within LGBT2SQ populations.

This document will encourage you to think critically about existing biases and offer strategies for implementing an LGBT2SQ affirming approach to practice.

the social determinants of health

Health outcomes are determined by more than genetic and lifestyle factors. It can also be determined by an individual's socioeconomic status and the dynamics that influence this status, namely the social determinants of health. Examples of the social determinants of health are: ^[1,2]

- Income and social status
- Education and literacy
- Employment and working conditions
- Early childhood experiences
- Housing
- Access to food and health services
- Experience of discrimination, racism, trauma

These factors either advantage or disadvantage an individual and ultimately impact health outcomes. The social determinants of health must be considered when assessing the root cause of health conditions.

ECOSOCIAL THEORY OF DISEASE DISTRIBUTION

The social determinants of health directly relate to health inequities in Canada.^[1] The ecosocial theory of disease distribution, first proposed by Krieger in 1994, explains how individuals who experience unjust and preventable inequities, will embody their effects, ultimately altering their health status.^[3] This theory highlights the connection between population health and disease within a social and ecological context and the ways in which exposures and experiences are integrated into an individual's biological being.^[4] There is an increasing need for research that aims to measure the impacts of discrimination and other experiences of social inequities on health status.

THE SOCIAL DETERMINANTS OF HEALTH, HEALTH INEQUITIES AND LGBT2SQ POPULATIONS

Current health systems do little to address health inequities faced by LGBT2SQ populations. Instead, there is a focus on illness (e.g. HIV/AIDS) rather than on the social determinants of health that affect this community and contribute to persistent and complex health issues.^[5]

Heteronormative/cisnormative assumptions and practices, stigma, discrimination, and social exclusion are social factors that compound to affect this population's health access, status, and outcomes.^[6] Many LGBT2SQ individuals avoid disclosing their identity to health practitioners, particularly LGBT2SQ youth who may fear a breach in patient confidentiality upon disclosure.^[6] Experiences of stigma or discrimination can cause individuals to withhold information especially for those with intersecting identities.^[7]

LGBT2SQ people experience several inequities that effect health status.

LGBT2SQ individuals are:

- Often lower income earners than non-LGBT2SQ individuals.^[8] In 2018, 41% of LGBT2SQ people had an income of less than \$20,000 compared to 26% of non-LGBT2SQ people.^[9]
- Two times more likely to have experienced homelessness than their cisgender, heterosexual counterparts.^[8] LGBT2SQ youth comprise 25-40% of the Canadian youth who experience homelessness.^[10]
- More likely to experience food insecurity, especially transgender men.^[11]

The Trans PULSE Canada 2021 survey (data collected in 2019) highlights some important findings for trans and non-binary people and

their experience within the health system.^[12] Notably:

Youth respondents (aged 14-24 years old)

- 47% had unmet health needs
- 65% avoided several public spaces due to fear of harassment
- 72% had experienced verbal harassment within the last five years
- 57% had a primary care provider that used correct name and pronoun
- 32% had a primary care provider who demonstrated knowledge of trans or non-binary health issues
- 25% had a health provider who used inclusive medical forms

Adult respondents (aged 25+ years)

- 43% had unmet health needs
- 63% avoided several public spaces due to fear of harassment
- 66% had experienced verbal harassment within the last 5 years
- 69% had a primary care provider that used correct name and pronoun
- 44% had a primary care provider who demonstrated knowledge of trans or non-binary health issues
- 37% had a health provider who used inclusive medical forms

Health findings from Indigenous trans, two-spirit and non-binary people in the Trans PULSE Canada survey show:^[13]

- 51% had unmet health needs
- 76% avoided several public spaces due to fear of harassment
- 79% had experienced verbal harassment within the last 5 years
- 80% experienced challenges accessing traditional ceremonies

These statistics demonstrate the social/economic inequities and barriers to adequate care that affect some LGBT2SQ people. There is a need to address the social and structural systems in which health inequities occur.

However, this can pose difficulty for care providers without dedicated training, adequate resources and organizational support in which to do this.^[6] The lack of LGBT2SQ focused competence is both implicit through heteronormative and cisnormative protocols as well as explicit through lack of LGBT2SQ specific care guidelines and education for care providers.^[6] These barriers further exacerbate the health inequities experienced by LGBT2SQ populations.

MINORITY STRESS AND INTERNAL/EXTERNAL STRESSORS

The minority stress model describes the stigma and discrimination experienced by LGBT2SQ individuals that produces the stressors that manifest into undesirable health outcomes, experienced as mental and physical disorders.^[14] External stressors such as stigma and discrimination and internal stressors such as internalized homophobia and suppression of identity interact to form minority stress and can contribute to a negative body image.^[14] Higher rates of internalized homophobia are also connected with higher rates of depression and anxiety.^[15]

Minority stress present with gender or body dysphoria can lead to disordered eating patterns.^[16]

Gender dysphoria is an incongruence or disconnection of the external physical body and the internal gender identity.^[16] Important to note, is that both minority stress and gender dysphoria need to be addressed to treat disordered eating in these instances.^[16]

The Gender Minority Stress and Resilience measure (GSMR) is a tool for care providers to assess external and internal stressors and identify resiliency areas that can positively affect mental health in transgender and gender expansive people.^[16] This population may experience additional and unique stressors, therefore the GSMR can be used to better capture their experiences.^[15]

fat phobia and weight bias

Fat phobia, also called weight bias is the explicit or implicit negative behaviours towards people with obesity.^[17] This bias is observed across many health disciplines and can also be expressed through structural barriers such as inadequate gown sizes or examination equipment for larger bodies.^[17]

As with minority stress, weight bias increases the risk of poorer health outcomes.^[17] Individuals that experience the effects of weight bias from a health practitioner are less likely to receive adequate health information and are less likely to be referred for diagnostic testing.^[17]

Weight bias contributes to the risk of disordered eating as the prevailing goal imparted on patients with obesity is around weight loss, whether or not solicited by the patient or indicated by their presenting symptoms.^[18]

Fat phobia has historical roots in which a thin, white, Western style of beauty is upheld as the ideal, thus serving as a tool of oppression towards all other bodies.^[18] This ideal continues to be promoted by vilifying fatness and promoting thinness in the name of 'health'.^[18] Thin bodies are seen as healthy while fat bodies are seen as a problem that can and should be 'fixed'.

complex food relationships

The social determinants of health, minority stress, weight bias and the subsequent health inequities that form from these factors, contribute to complex relationships with food among many in LGBT2SQ populations. Some of these inequities contribute to food insecurity of which this population is at a greater risk, or they can manifest through disordered eating patterns.^[10, 16] Disordered eating can be a manifestation of trauma, experienced through ongoing discrimination, identity stress and rejection.^[16]

DISORDERED EATING

Transgender and gender expansive people are more likely than cisgender people to be diagnosed with an eating disorder or to experience disordered eating.^[19] The stigma and discrimination that this group is subjected to is likely connected to this increased risk as disordered eating may be used as an avoidant

coping strategy to these stressors.^[19] High rates of reported stigma among LGBT2SQ populations has been connected to an increased risk of disordered eating behaviours such as binge eating, fasting or vomiting.^[20] Important to note are protective factors that relate to a lower risk of disordered eating such as social support, connection to school and connection to family.^[20]

As noted earlier, disordered eating patterns can also arise from a disconnection between gender and body.^[16] Disordered eating might be used to achieve or conform to social gender norms in order to limit discrimination or harassment, and it may be used to achieve congruence between the body and identity.^[19] However, engaging in disordered eating to achieve body changes can result in decreased long-term body acceptance.^[16] Care providers need to consider how minority stress and gender dysphoria may interact to increase an individual's risk of disordered eating.

DIET CULTURE WITHIN LGBT2SQ COMMUNITIES

Diet culture within LGBT2SQ communities persists by perpetuating an ideal of what a 'desired body' must look like while shaming and excluding those who fall outside of this aesthetic.^[21] There can be pressure to conform to this societal ideal in order to reduce internalized feelings of stigma or shame.^[21] This can be particularly true in the gay male community with ideals being those that represent 'peak masculinity'- often

toned and muscular bodies, while larger bodies are rejected.^[22] This form of weight stigma intensifies feelings of exclusion and social rejection, compounding the effects of minority stress.^[22] Diet marketing efforts from various companies increase as Pride month approaches and further pushes this exclusionary societal ideal of what LGBTQ2S bodies should look like.^[21]

for care providers

Care providers should be aware of the unique systemic and social stressors that LGBT2SQ people face and understand how these complexities impact health outcomes. Assessments and treatments should be altered to minimize barriers to care. Removing assumptions and bias in practice as well as initiating referrals to services that address inequities, and the social determinants of health should be incorporated into practice.^[6] Care providers should seek to become competent in LGBT2SQ issues and care.^[19]


INCLUSIVE ELECTRONIC HEALTH RECORDS

It is essential to recognize that a client may have a name or gender that differs to those listed on legal documents.^[23] It is recommended that providers adjust intake forms and client health records to reflect this. Ensuring that clients are able to communicate their pronouns will minimize stressors and reduce the risk of providers mis-gendering or

using the incorrect pronouns with clients.^[23] A two-step process, in which both gender and birth-assigned sex information is collected, is recommended to ensure that health providers are able to offer preventative care depending on anatomy while also ensuring that the client is seen and referred to by their correct gender.^[23]

RHO recommends the following fields be included on intake forms:

- Legal name
- Name (name client will be addressed by)
- Pronoun
- Gender identity (present this as an optional field and include a blank space so that clients are not confined to a pre-determined list)
- Sex assigned at birth (include an option for clients to refrain from disclosing)
- Sexual orientation (present this as an optional field and include a blank space so that clients are not confined to a pre-determined list)



HEALTH AT EVERY SIZE (HAES), CONFRONTING WEIGHT BIASES

Care providers should be aware of the risk of disordered eating patterns, gender dysphoria and minority stressors and encourage healthy ways to achieve body acceptance.^[16] Understanding that weight bias exists both explicitly and implicitly and confronting any internal biases is an important

step in providing competent care. Providers can adopt a weight neutral or Health at Every Size (HAES) approach to care to minimize this risk. A HAES approach removes the focus from weight and instead promotes a respect for body diversity and welcomes clients to engage in self-compassion.^[24] This approach to care has been found to have positive effects on eating behaviours.^[25, 26]

references

- 1 Government of Canada. Social determinants of health and health inequalities [Internet]. Government of Canada; 2020 Oct [cited 2022 Jan]. Available from: <https://www.canada.ca/en/public-health/services/health-promotion/population-health/what-determines-health.html>
- 2 World Health Organization. Social determinants of health [Internet]. World Health Organization; [cited 2022 Jan]. Available from: https://www.who.int/health-topics/social-determinants-of-health#tab=tab_1
- 3 Krieger N. Measures of racism, sexism, heterosexism, and gender binarism for health equity research: from structural injustice to embodied harm-and ecosocial analysis. *Annual Review of Public Health*. 2020; 41(1): 37-62.
- 4 Krieger N. *Ecosocial theory, embodied truths, and the people's health*. Oxford: Oxford University Press USA - OSO; 2021 Oct.
- 5 McKenzie C, Mulé NJ, Khan M. Where is LGBTQ+ in Ontario's health care policies and programs? *Sexuality Research and Social Policy*. 2021 April;1-12.
- 6 Knight RE, Shoveller JA, Carson AM, Contreras-Whitney JG. Examining clinician's experiences providing sexual health services for LGBTQ youth: considering social and structural determinants of health in clinical practice. *Health Education Research*. 2014 Jan; 29(4): 662-670. Available from: <https://doi.org/10.1093/her/cyt116>
- 7 Nash P, Brennan-Ing M, Karpiak S, Egbert A. Stigma impacts health disparities and inequities in LGBTQ and People of Color aging with HIV. *Innov Aging*. 2021 Dec; 5(Suppl 1): 221-2. doi: 10.1093/geroni/igab046.848. PMID: PMC8682072.
- 8 Statistics Canada. A statistical portrait of Canada's diverse LGBTQ2+ communities [Internet]. Statistics Canada; 2021 June [cited 2022 Jan]. Available from: <https://www150.statcan.gc.ca/n1/daily-quotidien/210615/dq210615a-eng.htm>
- 9 Prokopenko E, Kevins C. Vulnerabilities related to COVID-19 among LGBTQ2+ Canadians [Internet]. Statistics Canada; 2020 Dec [cited 2022 Jan]. Available from: <https://www150.statcan.gc.ca/n1/pub/45-28-0001/2020001/article/00075-eng.htm>
- 10 Elver D. LGBTQ2S+ housing needs and challenges [Internet]. CMHC-SCHL; 2019 June [cited 2022 Jan]. Available from: <https://www.cmhc-schl.gc.ca/en/blog/2019-housing-observer/lgbtq2s-housing-needs-challenges>
- 11 Arikawa AY, Ross J, Wright L, Elmore M, Gonzalez AM, Wallace TC. Results of an Online Survey about Food Insecurity and Eating Disorder Behaviors Administered to a Volunteer Sample of Self-Described LGBTQ+ Young Adults Aged 18 to 35 Years. *Journal of the Academy of Nutrition and Dietetics*. 2021 Jul;121(7):1231-41.
- 12 Navarro J, Johnstone F, Temple Newhook J, Smith M, Wallace Skelton J, Prempeh K, et al. Health and well-being among trans and non-binary youth [Internet]. Trans PULSE Canada Team; 2021 June [cited 2022 Jan]. Available from: <https://transpulsecanada.ca/research-type/reports>
- 13 Merasty C, Gareau F, Jackson R, Masching R, Dopler S. Health and well-being among Indigenous trans, two-spirit and non-binary people. Trans PULSE Canada Team; 2021 Feb [cited 2022 Jan]. Available from: <https://transpulsecanada.ca/research-type/reports>

references

- 14 Meyer IH. Resilience in the study of minority stress and health of sexual and gender minorities. *Psychology of sexual orientation and gender diversity*. 2015 Sep; 2(3): 209-213.
- 15 Testa RJ, Habarth J, Peta J, Balsam K, Bockting W. Development of the gender minority stress and resilience measure. *Psychology of Sexual Orientation and Gender Diversity*. 2015 March; 2(1):65-77.
- 16 Dalzell H, Protos K. A clinician's guide to gender identity and body image: practical support for working with transgender and gender-expansive clients. London: Jessica Kingsley Publishers; 2020.
- 17 Alberga AS, Pickering BJ, Alix Hayden K, Ball GDC, Edwards A, Jelinski S, et al. Weight bias reduction in health professionals: a systematic review. *Clinical Obesity*. 2016 April; 6(3):175-188.
- 18 Brown HA, Ellis-Ordway N, editors. *Weight bias in health education: critical perspectives for pedagogy and practice*. Routledge; 2021 Sept.
- 19 Diemer EW, White Hughto JM, Gordon AR, Guss C, Austin SB, Reisner SL. Beyond the binary: differences in eating disorder prevalence by gender identity in a transgender sample. *Transgend Health*. 2018 Jan; 3(1):17-23. doi: 10.1089/trgh.2017.0043. PMID: 29359198; PMCID: PMC5775111.
- 20 Watson RJ, Veale JF, Saewyc EM. Disordered eating behaviors among transgender youth: Probability profiles from risk and protective factors. *Int J Eat Disord*. 2017 May;50(5):515-522. doi: 10.1002/eat.22627. PMID: 27862124; PMCID: PMC5754211.
- 21 Iovannone JJ. What is a "pride body"? [blog on the internet]. In *Think Queerly*; 2018 June [cited 2022 Jan]. Available from: <https://thinkqueerly.com/what-is-a-pride-body-3dfd5e901f9e>
- 22 Philip J, Numer M. Constituting the ideal body: a poststructural analysis of "obesity" discourses among gay men. *Journal of Critical Dietetics*. 2018; 4(1):47-58.
- 23 Deutsch MB, Buchholz D. Electronic health records and transgender patients-practical recommendations for the collection of gender identity data. *J Gen Intern Med*. 2015 Jun;30(6):843-7. doi: 10.1007/s11606-014-3148-7. PMID: 25560316; PMCID: PMC4441683
- 24 Bacon L, Aphramor L. *Body respect: what conventional health books get wrong, leave out, and just plain fail to understand about weight*. BenBella Books, Inc.; 2014 Sep.
- 25 Provencher V, Bégin C, Tremblay A, Mongeau L, Corneau L, Dodin S, et al. Health-At-Every-Size and eating behaviors: 1-year follow-up results of a size acceptance intervention. *J Am Diet Assoc*. 2009 Nov;109(11):1854-61. doi: 10.1016/j.jada.2009.08.017. PMID: 19857626.
- 26 Bégin C, Carbonneau E, Gagnon-Girouard M-P, et al. Eating-related and psychological outcomes of health at every size intervention in health and social services centers across the province of Québec. *American Journal of Health Promotion*. 2019;33(2):248-258.

